

LADIES' STANDARD ANALOG

- Date display
- Water resistant
- Oblong rectangular face
- Refreshingly modern design

Module No. 3363

- Date display
 - Regular timekeeping
 - Analog: 3 hands (hour, minute, second)
 - Accuracy: ± 20 seconds per month
 - Approx. battery life: 3 years on SR626SW
 - Size of case / total weight
- LTP-1332D 30.0 x 30.5 x 9.0 mm / 61 g
 LTP-1332BD 30.0 x 30.5 x 9.0 mm / 43 g
 LTP-1332L 30.0 x 30.5 x 9.0 mm / 32 g



MAY

LTP-1332D-1ADF 3363 ©
Ion plated

± 20 sec | 3 YRS | SR626SW



4 971850 942672



MAY

LTP-1332D-7ADF 3363 ©
Ion plated

± 20 sec | 3 YRS | SR626SW



4 971850 942689



MAY

LTP-1332BD-7ADF 3363 ©
Ion plated

± 20 sec | 3 YRS | SR626SW



4 971850 942696

- Genuine leather band



MAY

LTP-1332L-4ADF 3363 ©
Ion plated

± 20 sec | 3 YRS | SR626SW



4 971850 942702



MAY

LTP-1332L-7ADF 3363 ©
Ion plated

± 20 sec | 3 YRS | SR626SW



4 971850 942719

LADIES' STANDARD ANALOG

- Date display
- Water resistant
- Oblong rectangular face
- Everyday watch done in feminine colors

Module No. 3363

- Date display
- Regular timekeeping
- Analog: 3 hands (hour, minute, second)
- Accuracy: ± 20 seconds per month
- Approx. battery life: 3 years on SR626SW
- Size of case / total weight
- LTP-1333D30.0 x 28.0 x 9.0 mm / 78 g
- LTP-1333BD30.0 x 28.0 x 9.0 mm / 52 g
- LTP-1333L30.0 x 28.0 x 9.0 mm / 35 g



LTP-1333D-1ADF 3363 ©
Ion plated

±20sec | 3 YRS | SR626SW



4 971850 942726



LTP-1333D-7ADF 3363 ©
Ion plated

±20sec | 3 YRS | SR626SW



4 971850 942733



LTP-1333BD-4ADF 3363 ©
Ion plated

±20sec | 3 YRS | SR626SW



4 971850 942740



LTP-1333BD-9ADF 3363 ©
Ion plated

±20sec | 3 YRS | SR626SW



4 971850 942757

- Genuine leather band



LTP-1333L-2ADF 3363 ©
Ion plated

±20sec | 3 YRS | SR626SW



4 971850 942764



LTP-1333L-4ADF 3363 ©
Ion plated

±20sec | 3 YRS | SR626SW



4 971850 942771

LADIES' STANDARD ANALOG

- Water resistant
- Oblong rectangular face
- Everyday watch done in feminine colors

Module No. 1330

- Regular timekeeping
 - Analog: 3 hands (hour, minute, second)
 - Accuracy: ± 20 seconds per month
 - Approx. battery life: 3 years on SR626SW
 - Size of case / total weight
- | | |
|-----------------|-----------------------------|
| LTP-1334D..... | 32.5 × 29.0 × 8.1 mm / 76 g |
| LTP-1334BD..... | 32.5 × 29.0 × 8.1 mm / 46 g |
| LTP-1334L..... | 32.5 × 29.0 × 8.1 mm / 32 g |



LTP-1334D-2ADF 1330 ©
Ion plated

± 20 sec. | 3 yrs | SR626SW



4 971850 942788



LTP-1334D-4ADF 1330 ©
Ion plated

± 20 sec. | 3 yrs | SR626SW



4 971850 942795




LTP-1334BD-1ADF 1330 ©
Ion plated

± 20 sec. | 3 yrs | SR626SW



4 971850 942801

- Genuine leather band



LTP-1334L-1ADF 1330 ©
Ion plated

± 20 sec. | 3 yrs | SR626SW



4 971850 942818



LTP-1334L-4ADF 1330 ©
Ion plated

± 20 sec. | 3 yrs | SR626SW



4 971850 942825



LTP-1334L-7ADF 1330 ©
Ion plated

± 20 sec. | 3 yrs | SR626SW



4 971850 942832